



LIQUID ZINC 7%

A Formulation for the Correction of Zinc Deficiencies in Crops

GENERAL INFORMATION

CM LIQUID ZINC 7% is formulated for field, vegetable, row, fruit, tree, vine, ornamental and turf crops.

CM LIQUID ZINC 7% may be applied through drip systems, aircraft, or via ground sprayers (high-volume or low-volume).

CM LIQUID ZINC 7% may be applied alone or with fertilizers or pesticides. It may be applied either to the plant foliage or to the soil.

CM LIQUID ZINC 7% is compatible with most pesticides and fertilizers. However, a compatibility test is recommended if the desired combination has not been used in the past.

DIRECTIONS

Mixing Sequence

1. Water
2. CM LIQUID ZINC 7%
3. Pesticide

Always add this product to water or nitrogen solution before adding phosphate material.

GUARANTEED ANALYSIS

Sulfur (S).....5.0%
Zinc (Zn).....7.0%

Derived from Zinc Lignosulfonate

Wt/gal: 10.1 lb. @ 68°F Gr/ltr: 1209 g @ 20°C

PRECAUTIONARY STATEMENTS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause eye and skin irritation. In case of contact, immediately flush eyes or skin with plenty of water and continue flushing for 15 minutes. If irritation persists, seek medical attention.

CONDITIONS OF SALE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Weather, crop conditions, timing and methods of applications, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CUSTOM AGRICULTURAL FORMULATORS

P.O. BOX 26104, FRESNO, CALIFORNIA 93729

RATES FOR USE

Foliar Application: Apply 2 to 4 quarts per acre as needed on a 10-14 day schedule. When rates of over 2 quarts are required, split applications of 2 quarts or less are recommended. Avoid foliar applications of CM LIQUID ZINC 7% when plants are under stress due to lack of moisture.

Soil Application:

Maintenance: 1-3 qt/acre

Mild deficiency: 2-6 qt/acre

High deficiency: 1-3 gal/acre

Aerial Application: Apply 1 quart per 5-10 gallons of water per acre. A concentration of 1 quart per gallon of spray may be used.

Dilute Application: Apply the suggested rate of this product in enough water for proper coverage.

Concentrate Application: Use up to 2 quarts of this product in a minimum of 25 gallons of water per acre.

Drip Irrigation Application: Apply the suggested rate of this product in multiple applications 10-14 days apart throughout the growing season of the crop.

Net Contents: 5 Gal Net Wt: 50.5 Lb. 300